	L #	Hits	Search Text
1	L9	142	synchroniz$5 with server with client same updat$3
2	L10	4	synchroniz$5 with server with client same updat$3 with coordinat$3
3	L11	8	synchroniz$5 with (applet object adj oriented) and updat$3 with coordinat$3
4	L12	50	synchroniz$5 with (applet java$6) and updat$3 with (client user subscriber customer remote end adj point)
5	L13	306119	(compar$5 bind$3 match$3 map$4) with (value attribut$2 parameter charcteristic)
6	L14	328826	(compar$5 bind$3 match$3 map$4) with (value variable attribut$2 parameter charcteristic)
7	L16	17	12 and 14 and (dictionary database catalog)
8	L15	19	12 and 14
9	L17	150	synchroniz$5 same (applet java$6) and updat$3 with (client user subscriber customer remote end adj point)
10	L18	58	17 and 14
11	L19	7	17 and 14 not ("1998" "1999" "2000" "2001" "2002" "2003" "2004").ay.
12	L20	0	synchroniz$5.ab and (applet java$6) and updat$3 with (client user subscriber customer remote end adj point) and 14
13	L21	3242	(compar$5 bind$3 match$3 map$4) with (value variable attribut$2 parameter charcteristic) with synchroniz$5
14	L22	10	(applet java$6) and updat$3 with (client user subscriber customer remote end adj point) and 21
15	L23	14	(applet java$6) and updat$3 and 21
16	L24	1590	(applet java$6) and updat$3 and synchroniz$5
17	L25	200	(applet java$6) and updat$3 and synchroniz$5.ab.
18	L26	38	(applet java$6) and updat$3 same synchroniz$5.ab.
19	L27	7	26 not ("1998" "1999" "2000" "2001" "2002" "2003" "2004").ay.
20	L28	2729	(compar$5 bind$3) with (value variable attribut$2 parameter charcteristic) with synchroniz$5
21	L29	223	28 and updat$3 with synchroniz$5

07/13/2004, EAST Version: 1.4.1

	L #	Hits	Search Text
22	L34	5	29 and java$6
23	L35	4	29 and object adj oriented

	L #	Hits	Search Text
1	L15	23	14 and (display$3 view$3) and (invok$3 initia$4 start$3 execut$4 generat$3)
2	L16	312	synchroniz$5 same updat$3.ab. and (display$3 view$3) and (invok$3 initia$4 start$3 execut$4 generat$3)
3	L17	312	(synchroniz$5 same updat$3).ab. and (display$3 view$3) and (invok$3 initia$4 start$3 execut$4 generat$3)
4	L18	140	(synchroniz$5 with updat$3).ab. and (display$3 view$3) and (invok$3 initia$4 start$3 execut$4 generat$3)
5	L20	1	18 and (html http web internet) with applet
6	L21	13	18 and (html http web internet) and applet
7	L23	22	(synchroniz$5 with updat$3) same keys near10 values and (display$3 view$3) and (invok$3 initia$4 start$3 execut$4 generat$3)
8	L24	3	23 and (java applet)
9	L25	8	23 and (orb corba object adj oriented c++)
10	L26	19	23 and (plurality multiple different two more) adj3 (objects modules scripts components applications applets programs)
11	L27	36233	(synchroniz$5 updat$3).ab.
12	L28	15	26 and 27
13	L14	27	synchroniz$5.ab.and updat$3 with keys near10 values
14	L29	8	14 and client same server
15	L30	46	(synchroniz$5 with updat$3) and updat$3 with keys with values and (display$3 view$3) and (invok$3 initia$4 start$3 execut$4 generat$3)
16	L31	21	30 and (orb corba object adj oriented c++ java applet)